

## 檢測報告

18-0110-067-15-2  
青霖國際有限公司

第1頁, 共5頁

樣品名稱：日本葡萄糖胺複方

收樣日期：2018/01/10

樣品資訊：日本葡萄糖胺複方

檢驗日期：2018/01/10 ~ 2018/01/23

樣品狀態：散裝

報告日期：2018/02/01

檢測委託單位：青霖國際有限公司

檢測委託單位地址：23741 新北市三峽區復興路101巷1弄53-1號3樓

檢測項目	結果	定量/偵測極限
西藥成分 195 項	陰性 (未檢出)	如附表

~~~以下空白~~~

### 檢測方法：

西藥成分 195 項：

實驗室內部方法，以 HPLC 分析

報告簽署人



- 1 本測試未涉及檢體抽樣。測試樣品及相關資訊係由委託檢驗者提供，實驗室僅負責檢測分析。本報告僅對該測試樣品有效。  
This test is exclusive of sampling. Tested sample and sample information listed are provided by the applicant. Tentamus only takes charge of sample testing, and this report refers only to the tested sample.
- 2 本報告記載事項僅作為參考資料，不得作為任何商業推銷廣告及訴訟用。  
This report is for reference only and cannot be for any commercial purposes or litigation.
- 3 本報告經塗改者無效；本報告內容不得部份複製，僅限這份使用。  
This report will be invalid if altered. This report is not permitted to be duplicated in extracts.
- 4 檢驗報告僅就委託者之委託事項提供檢驗結果，不對產品合法性作判斷。  
This report states test results in accordance with the applicant's request, and does not judge the legitimacy of the product.

## 檢測報告

**18-0110-067-15-2**

第2頁, 共5頁

**青霖國際有限公司**

附表

| 序號        | 分析項目                             | LOQ(mg/g) |      | 序號       | 分析項目                   | LOQ(mg/g) |      |
|-----------|----------------------------------|-----------|------|----------|------------------------|-----------|------|
|           |                                  | 液體        | 固體   |          |                        | 液體        | 固體   |
| 類固醇：(10)  |                                  |           |      | 利尿劑：(8)  |                        |           |      |
| 1         | Betamethasone                    | 2         | 10   | 30       | Acetazolamide          | 10        | 50   |
| 2         | Cortisone acetate                | 1         | 5    | 31       | Chlorothiazide         | 0.2       | 1    |
| 3         | Dexamethasone                    | 1         | 5    | 32       | Furosemide             | 0.25      | 1.25 |
| 4         | Hydrocortisone                   | 1         | 5    | 33       | Hydrochlorothiazide    | 0.6       | 3    |
| 5         | Hydrocortisone-21-Acetate        | 1         | 5    | 34       | Indapamide             | 0.75      | 3.75 |
| 6         | Methylprednisolone               | 0.5       | 2.5  | 35       | Metolazone             | 1.75      | 8.75 |
| 7         | Oxymetholone                     | 5         | 25   | 36       | Spironolactone         | 1         | 5    |
| 8         | Prednisolone                     | 0.5       | 2.5  | 37       | Triamterene            | 0.88      | 4.4  |
| 9         | Prednisone                       | 0.2       | 1    | 抗生素：(31) |                        |           |      |
| 10        | Triamcinolone acetonide          | 1         | 5    | 38       | Amoxicillin trihydrate | 1         | 5    |
| 降血脂類：(3)  |                                  |           |      | 39       | Ampicillin trihydrate  | 0.8       | 4    |
| 11        | Benzafibrate                     | 0.06      | 0.3  | 40       | Chloramphenicol        | 0.3       | 1.5  |
| 12        | Clofibrate                       | 0.06      | 0.3  | 41       | Chlortetracycline      | 0.8       | 4    |
| 13        | Gemfibrozil                      | 0.07      | 0.35 | 42       | Erythromycin estolate  | 3.2       | 16   |
| 荷爾蒙類：(14) |                                  |           |      | 43       | Fluconazole            | 0.4       | 2    |
| 14        | 17a-Ethynylestradiol             | 0.164     | 0.82 | 44       | Griseofulvin           | 0.3       | 1.5  |
| 15        | 3,3,5-Triiodothyronine free acid | 0.45      | 2.25 | 45       | Isoniazid              | 0.25      | 1.25 |
| 16        | Carbimazole                      | 0.5       | 2.5  | 46       | Metronidazole          | 1         | 5    |
| 17        | Clomiphene Citrate               | 2.5       | 12.5 | 47       | Nalidixic acid         | 1         | 5    |
| 18        | Diethylstilbestrol               | 1         | 5    | 48       | Nitrofurantoin         | 1         | 5    |
| 19        | Danazol                          | 7.5       | 37.5 | 49       | Nitrofurazone          | 1         | 5    |
| 20        | Estradiol benzoate               | 1         | 5    | 50       | Norflaxacin            | 1         | 5    |
| 21        | Estriol                          | 0.25      | 1.25 | 51       | Oxolinic acid          | 1         | 5    |
| 22        | Estrone                          | 0.25      | 1.25 | 52       | Phenazopyridine        | 1         | 5    |
| 23        | Ethynyl-Androstenediol           | 7.5       | 37.5 | 53       | Rifampicin             | 0.8       | 4    |
| 24        | Formestane                       | 15        | 75   | 54       | Sulfadiazine           | 1         | 5    |
| 25        | Methyltestosterone               | 3         | 15   | 55       | Sulfadimethoxine       | 0.3       | 1.5  |
| 26        | Progesterone                     | 2.5       | 12.5 | 56       | Sulfaguanidine         | 0.5       | 2.5  |
| 27        | Testosterone propionate          | 4         | 20   | 57       | Sulfamerazine          | 0.4       | 2    |
| 麻醉拮抗劑：(2) |                                  |           |      | 58       | Sulfamethazine         | 0.45      | 2.25 |
| 28        | Naloxone                         | 0.25      | 1.25 | 59       | Sulfamethizole         | 0.3       | 1.5  |
| 29        | Naltrexone                       | 0.25      | 1.25 | 60       | Sulfamethoxazole       | 0.2       | 1    |

- 本測試未涉及檢體採樣，測試樣品及相關資訊係由委託檢驗者提供，實驗室僅負責檢測分析，本報告僅對該測試樣品有效。  
This test is exclusive of sampling. Tested sample and sample information listed are provided by the applicant. Tentamus only takes charge of sample testing and this report refers only to the tested sample.
- 本報告記載事項僅作為參考資料，不得作為任何商業推銷廣告及訴訟用。  
This report is for reference only and cannot be for any commercial purposes or litigation.
- 本報告經塗改者無效，本報告內容不得部份複製，僅限整份使用。  
This report will be invalid if altered. This report is not permitted to be duplicated in extracts.
- 檢驗報告僅就委託者之委託事項提供檢驗結果，不對產品合法性作判斷。  
This report states test results in accordance with the applicant's request and does not judge the legitimacy of the product.

## 檢測報告

**18-0110-067-15-2**

第3頁, 共5頁

**青霖國際有限公司**

| 序號               | 分析項目                                     | LOQ(mg/g) |       | 序號                | 分析項目                  | LOQ(mg/g) |       |
|------------------|------------------------------------------|-----------|-------|-------------------|-----------------------|-----------|-------|
|                  |                                          | 液體        | 固體    |                   |                       | 液體        | 固體    |
| 61               | Sulfamethoxypyridazine                   | 0.4       | 2     | 92                | Metoclopramide        | 0.6       | 3     |
| 62               | Sulfanilamide                            | 0.4       | 2     | 93                | Oxyphenyclimine       | 1         | 5     |
| 63               | Sulfathiazole                            | 0.5       | 2.5   | 94                | Propantheline bromide | 0.4       | 2     |
| 64               | Sulfisomidine                            | 1         | 5     | 95                | Ranitidine HCL        | 3.33      | 16.65 |
| 65               | Sulfisoxazole                            | 1         | 5     | <b>精神科類：(14)</b>  |                       |           |       |
| 66               | Tetracycline HCl                         | 0.8       | 4     | 96                | Chlomezanone          | 0.125     | 0.625 |
| 67               | Trimethoprim                             | 0.2       | 1     | 97                | Chlorpromazine HCl    | 0.25      | 1.25  |
| 68               | Econazole Nitrate                        | 0.588     | 2.94  | 98                | Clordiazepoxide HCl   | 0.25      | 1.25  |
| <b>糖尿病用藥：(7)</b> |                                          |           |       | 99                | Diazepam              | 0.25      | 1.25  |
| 69               | Acetohexamide                            | 0.5       | 2.5   | 100               | Diphenylhydantoin     | 0.125     | 0.625 |
| 70               | Chlorpropamide                           | 0.25      | 1.25  | 101               | Flunitrazepam(FM2)    | 0.155     | 0.775 |
| 71               | Glybenclamide                            | 0.25      | 1.25  | 102               | Fluoxetine            | 0.5       | 2.5   |
| 72               | Metformin                                | 0.5       | 2.5   | 103               | Melatonin             | 0.4       | 2     |
| 73               | Phenformin hydrochloride                 | 0.5       | 2.5   | 104               | Meprobamate           | 10        | 50    |
| 74               | Tolazamide                               | 0.125     | 0.625 | 105               | Oxazolam              | 2         | 10    |
| 75               | Tolbutamide                              | 0.25      | 1.25  | 106               | Phenobarbital         | 0.25      | 1.25  |
| <b>抗組織胺類：(8)</b> |                                          |           |       | 107               | Primidone             | 0.25      | 1.25  |
| 76               | Brompheniramine maleate                  | 0.125     | 0.625 | 108               | Sulpiride             | 1         | 5     |
| 77               | Carbinoxamine maleate                    | 0.125     | 0.625 | 109               | Thioridazine          | 0.5       | 2.5   |
| 78               | Chlorpheniramine maleate                 | 0.5       | 2.5   | <b>解熱止痛劑：(27)</b> |                       |           |       |
| 79               | Cinnarizine                              | 0.125     | 0.625 | 110               | Acemetacin            | 0.2       | 1     |
| 80               | Diphenhydramine                          | 0.53      | 2.65  | 111               | Acetaminophen         | 0.25      | 1.25  |
| 81               | Diphenidol                               | 0.14      | 0.7   | 112               | Acetylsalicylic acid  | 1         | 5     |
| 82               | Ketotifen Fumarate                       | 0.25      | 1.25  | 113               | Aminopyrine           | 0.3       | 1.5   |
| 83               | Triprolidine                             | 0.5       | 2.5   | 114               | Benzydamine           | 0.2       | 1     |
| <b>腸胃類：(11)</b>  |                                          |           |       | 115               | Bucetin               | 0.25      | 1.25  |
| 84               | Atropine                                 | 0.4       | 2     | 116               | Bufexamac             | 0.1       | 0.5   |
| 85               | Bisacodyl                                | 0.4       | 2     | 117               | Diclofenac sodium     | 0.1       | 0.5   |
| 86               | Buscopan<br>(scopolamine n-butylbromide) | 1         | 5     | 118               | Dipyrone              | 2         | 10    |
| 87               | Camyloline                               | 1         | 5     | 119               | Ethoxybenzamide       | 0.1       | 0.5   |
| 88               | Ormetidine                               | 0.4       | 2     | 120               | Fenbufen              | 0.25      | 1.25  |
| 89               | DL-Homatropine                           | 0.4       | 2     | 121               | Flufenamic acid       | 0.2       | 1     |
| 90               | Ethaverne                                | 0.3       | 1.5   | 122               | Flurbiprofen          | 0.2       | 1     |
| 91               | Flopropione                              | 0.3       | 1.5   | 123               | Ibuprofen             | 0.2       | 1     |

- 1 本測試未涉及檢體抽樣，測試樣品及相關資訊係由委託檢驗者提供，實驗室僅負責檢測分析，本報告僅對該測試樣品有效。  
This test is exclusive of sampling. Tested sample and associate information listed are provided by the applicant. Tentamus only takes charge of sample testing, and this report refers only to the tested sample.
- 2 本報告記載事項僅作為參考資料，不得作為任何商業推銷廣告及訴訟用。  
This report is for reference only and cannot be for any commercial purposes or litigation.
- 3 本報告經塗改者無效，本報告內容不得部份複製，僅限整份使用。  
This report will be invalid if altered. This report is not permitted to be duplicated in extracts.
- 4 檢驗報告僅就委託者之委託事項提供檢驗結果，不對產品合法性作判斷。  
This report states test results in accordance with the applicant's request, and does not judge the legitimacy of the product.

## 檢測報告

**18-0110-067-15-2**

第4頁, 共5頁

**青霖國際有限公司**

| 序號         | 分析項目             | LOQ(mg/g) |       | 序號              | 分析項目                                 | LOQ(mg/g) |       |
|------------|------------------|-----------|-------|-----------------|--------------------------------------|-----------|-------|
|            |                  | 液體        | 固體    |                 |                                      | 液體        | 固體    |
| 124        | Indomethacin     | 0.15      | 0.75  | 155             | Tetracaine                           | 0.5       | 2.5   |
| 125        | Ketoprofen       | 0.15      | 0.75  | 痛風治療類：(5)       |                                      |           |       |
| 126        | Mefenamic acid   | 0.25      | 1.25  | 156             | Allopurinol                          | 1         | 5     |
| 127        | Methylsalicylate | 0.04      | 0.2   | 157             | Benzbromarone                        | 0.25      | 1.25  |
| 128        | Naproxen         | 0.4       | 2     | 158             | Colchicine                           | 0.25      | 1.25  |
| 129        | Niflumic acid    | 0.35      | 1.75  | 159             | Probenecid                           | 0.25      | 1.25  |
| 130        | Oxyphenbutazone  | 0.6       | 3     | 160             | Sulfinpyrazone                       | 0.25      | 1.25  |
| 131        | Phenacetin       | 0.2       | 1     |                 |                                      |           |       |
| 132        | Phenylbutazone   | 0.5       | 2.5   | 成癮性麻醉劑、禁用藥物：(7) |                                      |           |       |
| 133        | Piroxicam        | 0.4       | 2     | 161             | Amphetamine(安非他命)                    | 1         | 5     |
| 134        | Salicylamide     | 0.1       | 0.5   | 162             | Fenfluramine                         | 1         | 5     |
| 135        | Salicylic acid   | 0.385     | 1.925 | 163             | Heroin(海洛因)                          | 1         | 5     |
| 136        | Sulindac         | 0.1       | 0.5   | 164             | Ketamine(K他命)                        | 1         | 5     |
| 心臟血管類：(13) |                  |           |       | 165             | Methamphetamine(甲基安非他命)              | 1         | 5     |
| 137        | Atenolol         | 1         | 5     | 166             | Phentermine                          | 0.25      | 1.25  |
| 138        | Diltiazem        | 0.25      | 1.25  | 167             | Secobarbital                         | 0.66      | 3.3   |
| 139        | Dipyridamole     | 1         | 5     | 其他：(6)          |                                      |           |       |
| 140        | Fenofibrate      | 0.37      | 1.85  | 168             | Chlorhexidine                        | 0.4       | 2     |
| 141        | Hydralazine HCl  | 2         | 10    | 169             | Methimazole(抗甲狀腺藥物)                  | 1.3       | 6.5   |
| 142        | Methyl dopa      | 0.25      | 1.25  | 170             | Mixed alkyltrimethylammonium bromide | 0.8       | 4     |
| 143        | Minoxidil        | 0.25      | 1.25  | 171             | Nicotine(尼古丁)                        | 0.4       | 2     |
| 144        | Nifedipine       | 0.5       | 2.5   | 172             | Podophyllotoxin(鬼臼毒素)                | 0.2       | 1     |
| 145        | Pentoxifylline   | 0.25      | 1.25  | 173             | Santonin(山道年)-驅蟲劑                    | 2.3       | 11.5  |
| 146        | Prazosin         | 1         | 5     | 神經興奮劑：(6)       |                                      |           |       |
| 147        | Propranolol      | 1         | 5     | 174             | Caffeine(咖啡因)                        | 0.25      | 1.25  |
| 148        | Reserpine(蛇根鹼)   | 1         | 5     | 175             | Ephedrine(麻黃素)                       | 2.5       | 12.5  |
| 149        | Phentolamine     | 0.25      | 1.25  | 176             | Methylephedrine                      | 1         | 5     |
| 局部麻醉類：(6)  |                  |           |       | 177             | Phenylephrine                        | 2         | 10    |
| 150        | Benzocaine       | 0.125     | 0.625 | 178             | Phenylpropanolamine                  | 4         | 20    |
| 151        | Dibucaine        | 0.593     | 2.965 | 179             | Theobromine(可可鹼)                     | 1         | 5     |
| 152        | Lidocaine        | 0.25      | 1.25  | 肌肉鬆弛劑：(5)       |                                      |           |       |
| 153        | Oxethazaine      | 0.25      | 1.25  | 180             | Carisoprodol                         | 10        | 50    |
| 154        | Procaine         | 5.81      | 29.05 | 181             | Chlorzoxazone                        | 0.625     | 3.125 |

- 本測試未涉及檢體抽樣、測試樣品及相關資訊係由委託檢驗者提供，實驗室僅負責檢測分析，本報告僅對該測試樣品有效。  
This test is exclusive of sampling. Tested sample and sample information listed are provided by the applicant. Tentamus only takes charge of sample testing, and this report refers only to the tested sample.
- 本報告記載事項僅作為參考資料，不得作為任何商業推銷廣告及訴訟用。  
This report is for reference only and cannot be for any commercial purposes or litigation.
- 本報告經塗改者無效，本報告內容不得部份複製，僅限整份使用。  
This report will be invalid if altered. This report is not permitted to be duplicated in extracts.
- 檢驗報告僅就委託者之委託事項提供檢驗結果，不對產品合法性作判斷。  
This report states test results in accordance with the applicant's request, and does not judge the legitimacy of the product.

## 檢測報告

**18-0110-067-15-2**

第5頁, 共5頁

**青霖國際有限公司**

| 序號         | 分析項目                                                      | LOQ(mg/g) |        | 序號         | 分析項目             | LOQ(mg/g) |       |
|------------|-----------------------------------------------------------|-----------|--------|------------|------------------|-----------|-------|
|            |                                                           | 液體        | 固體     |            |                  | 液體        | 固體    |
| 182        | Flavoxate                                                 | 0.25      | 1.25   | 鎮咳、祛痰劑：(7) |                  |           |       |
| 183        | Mephensin                                                 | 0.125     | 0.625  |            |                  |           |       |
| 184        | Orphenadrine citrate                                      | 0.25      | 1.25   | 189        | Becantex         | 8         | 40    |
| 支氣管擴張劑：(4) |                                                           |           |        | 190        | Bromhexine       | 2         | 10    |
| 185        | Aminophylline                                             | 3.375     | 16.875 | 191        | Cloperastine     | 0.5       | 2.5   |
|            | (Theophylline)                                            |           |        | 192        | Dextromethorphan | 1         | 5     |
| 186        | Dihydroxypropyltheophylline<br>(Diprophylline、Dyphylline) | 0.25      | 1.25   | 193        | Guaifenesin      | 0.125     | 0.625 |
| 187        | Fenoterol                                                 | 4.25      | 21.25  | 194        | Noscapine HCl    | 1         | 5     |
| 188        | Salbutamol                                                | 1         | 5      | 195        | Papaverine(罌粟鹼)  | 0.5       | 2.5   |

1. 本測試未涉及檢體抽樣，測試樣品及相關資訊係由委託檢驗者提供，實驗室僅負責檢測分析，本報告僅對該測試樣品有效。  
This test is exclusive of sampling. Tested sample and sample information tested are provided by the applicant. Tentamus only takes charge of sample testing, and this report refers only to the tested sample.
2. 本報告記載事項僅作為參考資料，不得作為任何商業推銷廣告及訴訟用。  
This report is for reference only and cannot be for any commercial purposes or litigation.
3. 本報告塗改者無效，本報告內容不得部份複製，僅限這份使用。  
This report will be invalid if altered. This report is not permitted to be duplicated in extracts.
4. 檢驗報告僅就委託者之委託事項提供檢驗結果，不對產品合法性作判斷。  
This report states test results in accordance with the applicant's request and does not judge the legitimacy of the product.