

檢測報告

20-1225-061-03

第 1 頁, 共 5 頁

青霖國際有限公司

樣品名稱：日本納豆複方加強配方

樣品批號：-

包裝型態：散裝

數量/重量：32 克

保存方式：-

製造廠商/國內負責廠商：-

檢測委託單位：青霖國際有限公司

檢測委託單位地址：23741 新北市三峽區復興路 101 巷 1 弄
53-1 號 3 樓

其它資訊：-

收樣日期：2020/12/25

檢驗日期：2020/12/25 ~ 2021/01/08

報告日期：2021/01/08

製造日期：-

有效日期：-

聯絡人電話：(02)86716467

聯絡人姓名：蔡青霖

檢測項目

結果

定量/偵測極限

西藥成分 214 項

未檢出

如附表

~~~以下空白~~~

### 檢測方法：

1. 西藥成分 214 項：

實驗室內部方法

備註：測試項目經委託者同意，轉委託財團法人台灣商品檢驗驗證中心執行，委外報告編號 20-12-WAH-180。數據及報告正確性由本實驗室負責。

張芳誠



報告簽署人

1. 本測試未涉及檢體抽樣，測試樣品及相關資訊係由委託檢驗者提供，實驗室僅負責檢測分析，本報告僅對該測試樣品有效。  
This test is exclusive of sampling. Tested sample and sample information listed are provided by the applicant. Tentamus only takes charge of sample testing, and this report refers only to the tested sample.
2. 本報告記載事項僅作為參考資料，不得作為任何商業推銷廣告及訴訟用。  
This report is for reference only and cannot be for any commercial purposes or litigation.
3. 本報告經塗改者無效；本報告內容不得部份複製，僅限整份使用。  
This report will be invalid if altered. This report is not permitted to be duplicated in extracts.
4. 檢驗報告僅就委託者之委託事項提供檢驗結果，不對產品合法性作判斷。  
This report states test results in accordance with the applicant's request, and does not judge the legitimacy of the product.

## 檢測報告

20-1225-061-03

青霖國際有限公司

第 2 頁, 共 5 頁

樣品照片：



**Tentamus**  
Labs for Life

1. 本測試未涉及檢體抽樣，測試樣品及相關資訊係由委託檢驗者提供，實驗室僅負責檢測分析，本報告僅對該測試樣品有效。  
This test is exclusive of sampling. Tested sample and sample information listed are provided by the applicant. Tentamus only takes charge of sample testing, and this report refers only to the tested sample.
2. 本報告記載事項僅作為參考資料，不得作為任何商業推銷廣告及訴訟用。  
This report is for reference only and cannot be for any commercial purposes or litigation.
3. 本報告經塗改者無效；本報告內容不得部份複製，僅限整份使用。  
This report will be invalid if altered. This report is not permitted to be duplicated in extracts.
4. 檢驗報告僅就委託者之委託事項提供檢驗結果，不對產品合法性作判斷。  
This report states test results in accordance with the applicant's request, and does not judge the legitimacy of the product.

## 檢測報告

20-1225-061-03

第 3 頁, 共 5 頁

青霖國際有限公司

附表

| 序號                    | 分析項目<br>(依英文名稱排序)                             | MDL<br>(ppm) | 序號             | 分析項目<br>(依英文名稱排序)                     | MDL<br>(ppm) | 序號                 | 分析項目<br>(依英文名稱排序)  | MDL<br>(ppm) |
|-----------------------|-----------------------------------------------|--------------|----------------|---------------------------------------|--------------|--------------------|--------------------|--------------|
| <b>補腎滋養類(壯陽類)(35)</b> |                                               |              | 32             | Thiosildenafil                        | 450          | 60                 | Hydrocortisone     | 750          |
| 1                     | Acetil acid                                   | 1500         | 33             | Vardenafil                            | 1800         | 61                 | Methylprednisolone | 750          |
| 2                     | Acetildenafil                                 | 600          | 34             | Vardenafil analogue [2-(2-ethoxy      | 1800         | 62                 | Prednisolone       | 1200         |
| 3                     | Acetylvardenafil                              | 600          |                | phenyl)-5-methyl-7-propyl-3H-imidazo- |              | 63                 | Prednisone         | 750          |
| 4                     | Aminotadalafil                                | 900          |                | (51-f)-(1,2,4)triazin-4-one ]         |              | 64                 | Triamcinolone      | 900          |
| 5                     | Carbodenafil                                  | 1500         | 35             | Yohimbine                             | 1500         | <b>風濕鎮痛類(9)</b>    |                    |              |
| 6                     | Chloropretadalafil                            | 1500         | <b>減肥類(15)</b> |                                       |              | 65                 | Carisoprodol       | 375          |
| 7                     | 7-Ketodehydroepiandrosterone<br>(7-keto-DHEA) | 3000         | 36             | Clobenzorex                           | 375          | 66                 | Chlormezanone      | 1200         |
| 8                     | N-Desethylvardenafil                          | 3000         | 37             | N-Desmethylsibutramine                | 3000         | 67                 | Chlorzoxazone      | 1050         |
| 9                     | N-Desmethylacetildenafil                      | 3000         | 38             | N-Didesmethylsibutramine              | 3000         | 68                 | Diclofenac         | 600          |
| 10                    | N-Desmethylsildenafil                         | 3000         | 39             | Diethylpropion                        | 450          | 69                 | Ketoprofen         | 450          |
| 11                    | Dimethylsildenafil                            | 3000         | 40             | Fenfluramine                          | 375          | 70                 | Naproxen           | 900          |
| 12                    | Fluoxymesterone                               | 600          | 41             | Mazindol                              | 1950         | 71                 | Oxyphenbutazone    | 450          |
| 13                    | Gendenafil                                    | 3000         | 42             | Mephentermine                         | 240          | 72                 | Phenylbutazone     | 750          |
| 14                    | Homosildenafil                                | 1350         | 43             | Orlistat                              | 375          | 73                 | Piroxicam          | 600          |
| 15                    | Hydroxyacetildenafil                          | 600          | 44             | Phenolphthalein                       | 600          | <b>解熱止痛消炎類(13)</b> |                    |              |
| 16                    | Hydroxyhomosildenafil                         | 1200         | 45             | Phentermine                           | 1500         | 74                 | Acetaminophen      | 300          |
| 17                    | Hydroxythiohomosildenafil                     | 1650         | 46             | Phenylpropanolamine                   | 60           | 75                 | Aminopyrine        | 900          |
| 18                    | Hydroxyvardenafil                             | 1500         | 47             | Rimonabant                            | 3000         | 76                 | Aspirin            | 600          |
| 19                    | Imidazosagatriazinone                         | 1200         | 48             | Sibutramine                           | 1200         | 77                 | Bucetin            | 600          |
| 20                    | Methyltestosterone                            | 600          | 49             | Synephrine                            | 450          | 78                 | Ethoxybenzamide    | 600          |
| 21                    | Noracetildenafil                              | 300          | 50             | Cetilistat                            | 1500         | 79                 | Ibuprofen          | 1200         |
| 22                    | Norneosildenafil                              | 1000         | <b>感冒類(6)</b>  |                                       |              | 80                 | Indomethacin       | 1200         |
| 23                    | Nortadalafil                                  | 1500         | 51             | Bromhexine                            | 1200         | 81                 | Mefenamic acid     | 900          |
| 24                    | Phentolamine                                  | 1500         | 52             | Carbetapentane                        | 150          | 82                 | Morphine           | 150          |
| 25                    | Piperiacetildenafil                           | 3000         | 53             | Dextromethorphan                      | 1500         | 83                 | Pentazocine        | 300          |
| 26                    | Piperidenafil                                 | 1500         | 54             | Diprophylline                         | 900          | 84                 | Phenacetin         | 300          |
| 27                    | Sildenafil                                    | 1200         | 55             | Guafenesin                            | 2400         | 85                 | Salicylamide       | 600          |
| 28                    | Tadalafil                                     | 600          | 56             | Phenylephrine                         | 2850         | 86                 | Sulindac           | 750          |
| 29                    | Testosterone                                  | 600          | <b>類固醇類(8)</b> |                                       |              | <b>氣喘類(1)</b>      |                    |              |
| 30                    | Thiodimethylsildenafil                        | 450          | 57             | Betamethasone                         | 900          | 87                 | Theophylline       | 600          |
| 31                    | Thiohomosildenafil                            | 450          | 58             | Cortisone                             | 750          | <b>外用局部麻醉類(5)</b>  |                    |              |
|                       |                                               |              | 59             | Dexamethasone                         | 1200         | 88                 | Benzocaine         | 300          |

1. 本測試未涉及檢體抽樣，測試樣品及相關資訊係由委託檢驗者提供，實驗室僅負責檢測分析，本報告僅對該測試樣品有效。  
This test is exclusive of sampling. Tested sample and sample information listed are provided by the applicant. Tentamus only takes charge of sample testing, and this report refers only to the tested sample.
2. 本報告記載事項僅作為參考資料，不得作為任何商業推銷廣告及訴訟用。  
This report is for reference only and cannot be for any commercial purposes or litigation.
3. 本報告經塗改者無效；本報告內容不得部份複製，僅限整份使用。  
This report will be invalid if altered. This report is not permitted to be duplicated in extracts.
4. 檢驗報告僅就委託者之委託事項提供檢驗結果，不對產品合法性作判斷。  
This report states test results in accordance with the applicant's request, and does not judge the legitimacy of the product.

# 檢測報告

## 20-1225-061-03

第 4 頁, 共 5 頁

青霖國際有限公司

| 序號               | 分析項目<br>(依英文名稱排序)      | MDL<br>(ppm) | 序號                  | 分析項目<br>(依英文名稱排序)   | MDL<br>(ppm) | 序號                | 分析項目<br>(依英文名稱排序)   | MDL<br>(ppm) |
|------------------|------------------------|--------------|---------------------|---------------------|--------------|-------------------|---------------------|--------------|
| 89               | Dibucaine              | 450          | 120                 | Acetohexamide       | 750          | 152               | Melatonin           | 1200         |
| 90               | Lidocaine              | 30           | 121                 | Chlorpropamide      | 600          | 153               | Meprobamate         | 375          |
| 91               | Procaine               | 300          | 122                 | Glibenclamide       | 4800         | 154               | Methaqualone        | 900          |
| 92               | Tetracaine             | 600          | 123                 | Metformin           | 300          | 155               | Secobarbital        | 900          |
| <b>健胃類(14)</b>   |                        |              | 124                 | Phenformin          | 300          | 156               | Thioridazine        | 300          |
| 93               | Atropine               | 150          | 125                 | Pioglitazone        | 1200         | 157               | Zolpidem            | 300          |
| 94               | Butropium              | 3000         | 126                 | Rosiglitazone       | 3000         | <b>利尿及降血壓類(7)</b> |                     |              |
| 95               | Camylofine             | 3000         | 127                 | Tolbutamide         | 375          | 158               | Chlorothiazide      | 750          |
| 96               | Cimetidine             | 1500         | <b>心臟血管用藥類(11)</b>  |                     |              | 159               | Cinnarizine         | 600          |
| 97               | Dicyclomine            | 375          | 128                 | Atenolol            | 300          | 160               | Furosemide          | 600          |
| 98               | Glycopyrronium         | 900          | 129                 | Bezafibrate         | 600          | 161               | Hydralazine         | 450          |
| 99               | Homatropine            | 150          | 130                 | Clofibrate          | 1500         | 162               | Hydrochlorothiazide | 600          |
| 100              | Metoclopramide         | 750          | 131                 | Digitoxin           | 450          | 163               | Propranolol         | 1350         |
| 101              | Oxethazaine            | 150          | 132                 | Dipyridamole        | 450          | 164               | Reserpine           | 1200         |
| 102              | Oxyphencyclimine       | 75           | 133                 | Fenofibrate         | 3000         | <b>動情激素類(8)</b>   |                     |              |
| 103              | Pirenzepine            | 1350         | 134                 | Gemfibrozil         | 4500         | 165               | Diethylstilbesterol | 600          |
| 104              | Propantheline          | 3000         | 135                 | Nicametate          | 2550         | 166               | Estradiol           | 1200         |
| 105              | Ranitidine             | 600          | 136                 | Nifedipine          | 600          | 167               | Estriol             | 60           |
| 106              | Scopolamine            | 150          | 137                 | Nylidrin            | 4500         | 168               | Estrone             | 30           |
| <b>抗菌解毒類(12)</b> |                        |              | 138                 | Xanthinol Niacinate | 1050         | 169               | Ethinylestradiol    | 30           |
| 107              | Econazole              | 150          | <b>抗組織胺及抗過敏類(5)</b> |                     |              | 170               | Ethisterone         | 600          |
| 108              | Salicylic acid         | 900          | 139                 | Brompheniramine     | 1800         | 171               | Norethisterone      | 600          |
| 109              | Sulfadiazine           | 600          | 140                 | Carbinoxamine       | 1650         | 172               | Progesterone        | 600          |
| 110              | Sulfadimethoxine       | 750          | 141                 | Chlorpheniramine    | 1200         | <b>泌尿用藥類(6)</b>   |                     |              |
| 111              | Sulfamerazine          | 450          | 142                 | Diphenhydramine     | 375          | 173               | Flavoxate           | 900          |
| 112              | Sulfamethazine         | 600          | 143                 | Terfenadine         | 450          | 174               | Nalidixic acid      | 300          |
| 113              | Sulfamethoxypyridazine | 450          | <b>精神安定類(14)</b>    |                     |              | 175               | Nitrofurantoin      | 450          |
| 114              | Sulfanilamide          | 375          | 144                 | Amitriptyline       | 750          | 176               | Norfloxacin         | 300          |
| 115              | Sulfathiazole          | 600          | 145                 | Barbital            | 750          | 177               | Phenazopyridine     | 750          |
| 116              | Sulfisoxazole          | 450          | 146                 | Bromvalerylurea     | 1950         | 178               | Sulfamethizole      | 600          |
| 117              | Terbinafine            | 300          | 147                 | Chlordiazepoxide    | 300          | <b>賀爾蒙類(7)</b>    |                     |              |
| 118              | Tinidazole             | 900          | 148                 | Chlorpromazine      | 300          | 179               | Ethylestrenol       | 30           |
| <b>瀉劑類(1)</b>    |                        |              | 149                 | Diazepam            | 300          | 180               | Etofibrate          | 3000         |
| 119              | Bisacodyl              | 600          | 150                 | Fluoxetine          | 1200         | 181               | Methandriol         | 2400         |
| <b>糖尿病用類(8)</b>  |                        |              | 151                 | Lorazepam           | 300          | 182               | Methandrostenedione | 600          |

- 本測試未涉及檢體抽樣, 測試樣品及相關資訊係由委託檢驗者提供, 實驗室僅負責檢測分析, 本報告僅對該測試樣品有效。  
This test is exclusive of sampling. Tested sample and sample information listed are provided by the applicant. Tentamus only takes charge of sample testing, and this report refers only to the tested sample.
- 本報告記載事項僅作為參考資料, 不得作為任何商業推銷廣告及訴訟用。  
This report is for reference only and cannot be for any commercial purposes or litigation.
- 本報告經塗改者無效; 本報告內容不得部份複製, 僅限整份使用。  
This report will be invalid if altered. This report is not permitted to be duplicated in extracts.
- 檢驗報告僅就委託者之委託事項提供檢驗結果, 不對產品合法性作判斷。  
This report states test results in accordance with the applicant's request, and does not judge the legitimacy of the product.

## 檢測報告

20-1225-061-03

第 5 頁, 共 5 頁

青霖國際有限公司

| 序號                | 分析項目<br>(依英文名稱排序) | MDL<br>(ppm) | 序號                 | 分析項目<br>(依英文名稱排序) | MDL<br>(ppm) | 序號             | 分析項目<br>(依英文名稱排序)     | MDL<br>(ppm) |
|-------------------|-------------------|--------------|--------------------|-------------------|--------------|----------------|-----------------------|--------------|
| 183               | Nandrolone        | 750          | 194                | Benzbromarone     | 900          | 205            | Strychnine            | 900          |
| 184               | Oxymetholone      | 1050         | 195                | Colchicine        | 750          | 206            | Theobromine           | 600          |
| 185               | Stanozolol        | 2100         | 196                | Probenecid        | 900          | <b>抗生素類(5)</b> |                       |              |
| <b>抗癲癇及鎮痙類(7)</b> |                   |              | 197                | Sulfinpyrazone    | 750          | 207            | Chloramphenicol       | 1200         |
| 186               | Benzhexol         | 1800         | <b>治甲狀腺機能缺陷(3)</b> |                   |              | 208            | Griseofulvin          | 450          |
| 187               | Diphenylhydantoin | 150          | 198                | Carbimazole       | 600          | 209            | Ketoconazole          | 300          |
| 188               | Mephesisin        | 150          | 199                | Liothyronine      | 3600         | 210            | Metronidazole         | 900          |
| 189               | Metharbital       | 750          | 200                | Methimazole       | 300          | 211            | Sulfamethoxazole      | 600          |
| 190               | Orphenadrine      | 300          | <b>興奮劑類(6)</b>     |                   |              | <b>其他類(3)</b>  |                       |              |
| 191               | Phenobarbital     | 900          | 201                | Amphetamine       | 375          | 212            | Finasteride (Proscar) | 3000         |
| 192               | Primidone         | 1500         | 202                | Caffeine          | 600          | 213            | Minoxidil             | 600          |
| <b>尿酸痛風類(5)</b>   |                   |              | 203                | Cocaine           | 750          | 214            | Quinine               | 300          |
| 193               | Allopurinol       | 600          | 204                | Methamphetamine   | 750          |                |                       |              |

Tentamus  
Labs for Life

1. 本測試未涉及檢體抽樣，測試樣品及相關資訊係由委託檢驗者提供，實驗室僅負責檢測分析，本報告僅對該測試樣品有效。  
This test is exclusive of sampling. Tested sample and sample information listed are provided by the applicant. Tentamus only takes charge of sample testing, and this report refers only to the tested sample.
2. 本報告記載事項僅作為參考資料，不得作為任何商業推銷廣告及訴訟用。  
This report is for reference only and cannot be for any commercial purposes or litigation.
3. 本報告經塗改者無效；本報告內容不得部份複製，僅限整份使用。  
This report will be invalid if altered. This report is not permitted to be duplicated in extracts.
4. 檢驗報告僅就委託者之委託事項提供檢驗結果，不對產品合法性作判斷。  
This report states test results in accordance with the applicant's request, and does not judge the legitimacy of the product.